The Use of Biomass for Energy Production

Wiktoria Sobczyk

AGH University of Science and Technology, Faculty of Mining and Geoengineering, Department of Environmental Engineering and Raw Materials Processing, Cracow, Poland; sobczyk@agh.edu.pl

Abstract: The paper describes the sources of biomass and techniques of producing energy from burning biomass: conventional burning, burning in fluidized bed, pyrolysis and gasification. Thermal processing of waste biomass from agricultural production and from the food industry allows to receive energy carriers in the form of liquid or gaseous fuels. Development of alternative energy sources creates a chance of maintaining energy independence. It is also compatible with the idea of sustainable development.

Keywords: bioenergy, biomass, ecology, energy, willow.

I. INTRODUCTION

The depletion of energy minerals deposits and recurring oil crises cause increasing interest in alternative energy sources. The electric power, the fly-wheel of the world's economy, is produced mainly in thermal, hydro-electric, nuclear and wind power stations [5, 6]. Thermal power plants produce over 60% of global energy. Unlike thermal power plants, water power stations do not pollute the natural environment. However, they require suitable lay of the land and significant water potential.

Production of bioenergy from alternative sources has been developing for many years in Western Europe, USA and Japan. Basket willow, Pennsylvanian mallow, miscanthus, rose (Rosa multiphlora) and grain straws are used for this purpose.

Poland has a significant technical potential of biomass and possibilities of its use for energy production purposes increase every year. Willow cultivation is especially popular [3, 7]. From one hectare of energetic willow plantation one may harvest 20 tonnes of dry mass which has the calorific value of 8 m3 of heating oil or 10 tonnes of coal. It is estimated that a 30-are plantation (i.e. on fallow lands) can fulfill annual energy needs of a small farm. In the agricultural sector the harvest of willow is conducted in the winter months which is the time of low demand for workforce. Cultivation of multi-hectare plantations on fallow lands could therefore reduce unemployment. The willow as an energy carrier is practically inexhaustible (after 30 years the soil has to be reclaimed and a new plantation can be started).

The produced biomass requires processing. This is associated with construction of new production plants and modernization of existing boiler rooms used for burning coal or heating oil. The ecological aspect has still greater meaning for the power sector's activity. Objects and installations have to fulfill European Union's standards regarding the permissible concentrations and emissions of pernicious gases. Because of this fact the interest of power plants and CHPs (combined heat and power plants) with biomass increases and new markets open for farmers.

Realization of projects associated with eco-energy sector is financially supported by EKO-Fund Foundation.

II. THE ORIGIN OF BIOMASS

Plant resources are a source of different kinds of fuels: solid fuels, bio-alcohol, bio-oil, bio-gas. The process of fuel production begins with acquiring adequate raw material. This can be plant waste from

energetic plantations, plants with high sugar content, oil plants.

In agriculture one can mention: straw, hay, beetroot pomaces. Forestry, wood mills and paper industry are also in possession of many different raw materials: chips, sawdust, brushwood, bark (fig. 1), lignin waste water.



Fig. 1. Tree bark [photo by W. Sobczyk]

Broad spectrum of materials is offered by agricultural and food industry: waste from sugar factories, distilleries, breweries, straw, food waste [1].

Recently plantations of fast-growing plants and trees have gained large popularity. These include: willow, plane tree, poplar, eucalyptus, sugar cane, rape, sunflower, flax, chosen species of grass (i.e. Sudan grass), grains, potatoes, corn, manioc, sugar beet, soybean, peanuts, sorgo.

On breeding farms one may find waste from animal-farming: liquid manure, bio-gas. The municipal management provides waste sediments, household waste, waste paper, sewage treatment plant waste [2].

III. TECHNIQUES OF ENERGY PRODUCTION

The form of the fuel has fundamental meaning during the burning process. Wood waste are optimal for burning after being disintegrated into chips. Large contact area in relation to the wood's mass creates a possibility of rapid heating to the ignition temperature and their complete burning. This is the condition for proper use of heat from the burned wood. The best way to use fine industrial waste (chips, sawdust) is to briquette them [3].

Choosing the right furnace for particular forms of wood is also an important factor:

- long pieces of wood should be burned in furnaces with mechanical loading,

- in automatic furnaces one should burn wood in pieces and in form of compressed granulates, pellets (fig. 2) or briquettes (fig. 3).



Fig. 2. Pellets from Olimp wood produced by the company Stelment [photo by W. Sobczyk]



Fig. 3. Briquette from oak pulp [photo by H. Malinkiewicz]

- in furnaces with pneumatic loading and separation of carbon black one should burn sawdust (fig. 4).



Fig. 4. Sawdust [photo by W. Sobczyk]

Burning of wood proceeds in three stages:

- drying and heating,
- degasification,
- proper burning.

During the degasification the flammable gases (hydrogen and carbon monoxide) burn up quickly and rise the temperature. After the gasification phase charcoal is created (fig. 5). It burns in ca. 800°C.



Fig. 5. Charcoal [photo by W. Sobczyk]

The proper burning proceeds almost without visible smoke. When the humidity of the fuel is high, special vaults are used to make the flame return and increase the drying process speed in the burning chamber. Through the application of blowing the flame can be extended which improves the quality of burning.

After modernization of Power Plant Jaworzno II a modern thermal-electrical power plant was

created. Old Soviet Pk-10p no. 1, 2 and 3 boilers were replaced with two fluidized boilers of "Compact" type manufactured by Foster Wheeler. Two turbine sets of WK-50 type were replaced by thermal-condensative sets of 13CK70 type produced by ABB Zamech Ltd. Co-incineration of coal and biomass proceeds in CFB 260 boilers:

- meat and bone dust

- forest biomass: wood chips of calorific value up to 15 MJ/kg,

- "Agro" biomass - sunflower shells and rape oilseed cakes, hop, post-distillation grain dried material, grain bran, beetroot and fruit pomace, grinding grain,

- liquid "Agro" biomass – glycerin.

Fluidized combustion of biomass occurs when fine particles of suspended matter are blown by the air coming from underneath them. Very good mixture of air and fuel particles is created and the large area of their contact increases the intensity of burning (the temperature may reach even 800°C). Thanks to this fact, during burning of biomass the emissions of nitrogen oxides are significantly reduced in comparison to grid furnaces.

IV. THE ADAVANTAGES OF BIOMASS AND BIOGAS

Using waste from the overproduction of food is doubtlessly one of the advantages of producing energy from biomass. This energy is clean and does not lead to creation of any significant environmental pollutants. Let us remind that biomass contains 0,01% of sulphur and after its burning the remained ash has a mass of 1% of the original raw material mass (in comparison - hard coal has between 0,5% and 5% of sulphur and leaves between 10% and 15% of ash). Emission of nitrogen compounds is also seriously reduced because of significant lowering of combustion temperature. The greatest reduction of emission occurs during balancing the carbon dioxide emissions which are responsible for the greenhouse effect. CO_2 emission during burning is equal to the concentration of CO_2 produced during the natural decay of biomass [9, 10].

The development of alternative energy technologies provides energy safety to the country because of diversification of energy producers' offer. The energy production is decentralized and does not require construction of power lines (there are no transmission-related losses). In comparison to the energy produced using conventional methods it supports economical water management. Production costs of energy from biomass are comparable to the costs of producing electricity from the power grid. Moving further, it should be pointed out that in the poor and developing countries it allows to improve the hygiene and health conditions through cessation of spilling fecal matter directly onto the fields (Chinese and Indian provinces) what has once been a cause of dangerous diseases epidemics.

There are not many flaws of this kind of energy production but they are significant. The calorific value of biomass is two times lower than that of hard coal [4]. Biomass processing installations are capital-intensive investments (large investment costs during the construction phase). Furthermore, it is necessary to strictly follow the fermentation regimes (temperature, acidity, hermetic conditions during the processes). The biomass is usually highly moist which causes problems during its transport and storage. Bio-fuels production requires higher capital expenditures in comparison to the fuels produced during oil processing. Additionally, there are no tax exemptions for the producers of energy from biomass [8].

V. CONCLUSION

Production of energy from conventional sources causes significant damage to the environment. The reserves of fossil fuels are reduced every year and the energy becomes more expensive. The development of alternative energy sources opens a chance for an increase in the country's energy independence, for regional development and creating new jobs. It allows for pro-ecological

modernization of the energy systems. For example, the cultivation of energetic willow can be a profitable and interesting area of agricultural development.

The biomass can come from diversified sources: there are special energy plants cultivations and wastes from plant products production and processing.

A lot of attention is paid to the environmental factors when considering energy production. During burning of biomass one may derive from additional benefits, like significant reductions of detrimental substances emissions. Biomass is a cheap, ecological and clean energy source. Looking for alternative sources of energy is also compatible with the sustainable development principles.

ACKNOWLEDGMENT

The paper has been prepared within the AGH University of Science and Technology, Cracow, Poland – statutory research work No 11.11.100.482.

REFERENCES

[1] T. Bowszys, W. Sądej, and J. Wierzbowska, "Use of agricultural and communal waste products in fertilization of oilseed rape grown for biofuel", TEKA Commission of Motorization and Power Industry in Agriculture PAN, vol. VIIA, pp. 43-50, 2007.

[2] A. Kowalska, "Overview of technological methods of energy production from biomass", TEKA Commission of Motorization and Power Industry in Agriculture PAN, vol. X, pp. 209-215, 2008.

[3] R. Kulig, "Effects of conditioning methods on energy consumption during pelleting", TEKA Commission of Motorization and Power Industry in Agriculture PAN, vol. VIIA, pp. 59-67, 2007.

[4] J. Piechocki, P. Sołowiej, and M. Neugebauer, "Gasification of waste biomass from agricultural production. Agricultural engineering", vol. 5 (123), pp. 219-224, 2010.

[5] W. Sobczyk, "Plonowanie wierzby wiciowej - w świetle badań", Polityka Energetyczna, vol. 10, no. 2, pp. 547-556, 2008a.

[6] W. Sobczyk, "The use of alternative energy sources in Zawoja Przysłop (Malopolska)", Folia Scientiarum Universitatis Technicae Resoviensis vol. 229, no. 47, pp. 457-463, 2008b.

[7] W. Sobczyk, "Evaluation of harvest of energetic basket willow". TEKA Commission of Motorization and Power Industry in Agriculture PAN, vol. XI, pp. 343-352, 2011.

[8] W. Sobczyk, "The energy security of Poland in the light of European Union energy policy. W: Selected issues related to mining and clean coal technology". In eds. M. Borowski, J. Swolkień; AGH University of Science and Technology. Kraków: International Conference of Mining and Clean Coal Technology: Krakow, 19-21 Sept. 2016. ISBN: 978-83-7783-196-0, pp. 617–620, 2016.

[9] W. Sobczyk, and K. Sapa, "Energy balance in a passive solar building: an attempt at economic assessment", E3S Web of Conference SEED 10, 00086, 2016: pp. 1-8.

[10] W. Sobczyk, K. Sternik, E.J. Sobczyk, and H. Noga, " The effect of addition of sewage sludge on the yielding of willow Salix viminalis. Evaluation of economic and ecological effects", Annual Set The Environment Protection, vol. 17, pp. 1113-1124, 2015.



WiktoriaSobczyk

Place of employment//Position

Faculty of Mining & Geoengineering, AGH University of Science & Technology, Al. Mickiewicza 30, 30-059 Krakow, Poland, professor

phone 604 502 101

e-mail: sobczyk@agh.edu.pl

Qualification level

MA of geology (1981), PhD of nature sciences (1986), PhD with habilitation of agronomical sciences, specialization ecology (2004), associate professor

Professional experience and achievements

Since 2006 I have been employed as an ecology professor at AGH University of Science and Technology in Krakow, Faculty of Mining and Geoengineering, Department of Environment Engineering and Raw Materials Processing, I am a member of: The Comission of Public Health Protection at The Polish Academy of Science, the branch in Kraków (since 2002), International Society of Ecotrophology (since 2004 r.), World Wildlife Foundation (since 2012 r.), Mining Committee of Polish Academy of Science, a member and secretary of the Section of Mining Environment, Ecology and Sub-mining Areas (since 2007), International Academy of Culture Security, Ecology and Health – academician (since 2008). I am also a member of International Science Board of Science Statistical Yearbook Education - Technology - Informatics; editorial panel of the magazines: "Naukowyjwisnik NUBIP" and "Bioresursy i prirodopolzowanije" Kiev. I am a reviewer of research works in the journals: Elsevier - Environmental Impact Assessment, Annals of Agrarian Science Development and Practice, Economy of Mineral (Georgia), Resources, Mining Science, Technickevzdelavanie, Mining Workshops, Scientific Brochures of Silesian Technical University.

Main research area:

environment protection, geoengineering, sustainable development, renewable energy sources, ecological education, waste management, human rights, ecology.